



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Multi SW 68 slideway-hydraulic oil**

Version: 7.1    Latest revision: 03. 05. 2023    Date of issue: 20. 06. 2007    Page: 1/(13)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier:

**MOL Multi SW 68 slideway-hydraulic oil**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: slideway-hydraulic oil

Uses advised against: application other than the above.

1.3. Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Distribution and Service Ltd.

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Distribution and Service Ltd.

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL LUB Kft.

Tel: +36 80 201 296

E-mail: EBKHelpdesk@MOL.hu

1.4. Emergency telephone number

Emergency telephone (07-15<sup>20</sup> h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián út 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

National Health Toxicological Information Service:

### SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Hazard Class and Category:

Aquatic Chronic 3

Hazard statement:

H412

Harmful to aquatic life with long lasting effects.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Multi SW 68 slideway-hydraulic oil**

Version: 7.1

Latest revision: 03. 05. 2023

Date of issue: 20. 06. 2007

Page: 2/(13)

### 2.2. Label elements

Product identification: Trade name: **MOL Multi SW 68 slideway-hydraulic oil**

Hazardous components: -

GHS Pictogram: -

Signal word: -

Hazard statement:

**H412** Harmful to aquatic life with long lasting effects.

Supplemental hazard information:

**EUH208** Contains 2,5-bis(octyldithio)-1,3,4-thiadiazole. May produce an allergic reaction.

Precautionary statements – General: -

Precautionary statements – Prevention:

**P273** Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501** Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

### 2.3. Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.

Endocrine disrupting properties: no data.



# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Multi SW 68 slideway-hydraulic oil**

Version: 7.1    Latest revision: 03. 05. 2023    Date of issue: 20. 06. 2007    Page: 3/(13)

## SECTION 3:    Composition/information on ingredients

### 3.2. Mixtures

Chemical description:            Mixture of refined mineral base oils containing additives.

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Distillates (petroleum), solvent-dewaxed heavy paraffinic* REACH Registr. Nr.: 01-2119471299-27	265-169-7	64742-65-0	- (Note L)	-	max. 97
2,6-di-tert-butylphenol REACH Registr. Nr.: 01-2119490822-33	204-884-0	128-39-2	Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H315 H400 (M=1) H410 (M=1)	max. 0.4
2,5-bis(octyldithio)-1,3,4-thiadiazole REACH Registr. Nr.: no data	236-912-2	13539-13-4	Skin Irrit. 2 Skin Sens. 1 Eye Irrit. 2 Acute Tox. 4 STOT SE 3 Aquatic Chronic 4	H315 H317 H319 H332 H335 H413	max. 0.25
(Z)-octadec-9-enylamine REACH Registr. Nr.: no data	204-015-5	112-90-3	Acute Tox. 4 Asp. Tox. 1 Skin Corr 1B STOT SE 3 STOT RE 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H304 H314 H335 H373 H400 (M=10) H410 (M=10)	max. 0.20

\*: with exposure limit

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

## SECTION 4:    First aid measures

### 4.1. Description of first aid measures

General information:        Never give anything by mouth to an unconscious person, or never induce vomiting.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Multi SW 68 slideway-hydraulic oil**

Version: 7.1    Latest revision: 03. 05. 2023    Date of issue: 20. 06. 2007    Page: 4/(13)

- Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.
- Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.
- Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.
- Ingestion: If swallowed, give water. **Do not** induce vomiting. Get medical attention.
- Protection of first-aid person: No data available.

- 4.2. Most important symptoms and effects, both acute and delayed  
Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.  
May produce an allergic reaction.
- 4.3. Indication of any immediate medical attention and special treatment needed  
Not required.

### SECTION 5: Fire-fighting measures

Fire hazards:  
Combustible.

#### 5.1. Extinguishing media

Suitable extinguishing media:  
Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:  
Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:  
On burning, carbon dioxide, carbon monoxide, various hydrocarbons and soot can be formed.

#### 5.3. Advice for fire-fighters

Special protective equipment:  
According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire-fighting water separately. It must not enter the sewage system.  
Contaminated extinguishing water must be disposed of in accordance with official regulations.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Multi SW 68 slideway-hydraulic oil**

Version: 7.1

Latest revision: 03. 05. 2023

Date of issue: 20. 06. 2007

Page: 5/(13)

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

#### 6.2. Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil

Notify relevant authority.

#### 6.3. Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be removed. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

#### 6.4. Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Keep general measures applied for normal operations with lubricants.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks.

Take off contaminated clothing and wash it before reuse.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well-ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C.

#### 7.3. Specific end use(s)

Slideway-hydraulic oil.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Multi SW 68 slideway-hydraulic oil**

Version: 7.1

Latest revision: 03. 05. 2023

Date of issue: 20. 06. 2007

Page: 6/(13)

### SECTION 8: Exposure controls / personal protection

#### 8.1. Control parameters:

**Mineral oil mist:** TWA: **5 mg/m<sup>3</sup>**; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

#### 8.2. Exposure controls

Engineering control measures:

Not required.

Personal protection:

- (a) Eye/face protection Where splashing is possible, wear safety glasses (EN 166).
- (b) Skin protection
  - (i) Hand protection Oil resistant gloves (EN 374, Breakthrough time > 480 min, PK power level: 6; PR flow rate: 0).  
Note: Manufacturer's directions for use and the conditions of application should be observed.
  - (ii) Other Protective clothing (oil resistant).
- (c) Respiratory protection Under normal conditions not required. In case of exceeded exposure-limits respiratory protection with particle-filter is recommended.
- (d) Thermal hazards No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

- a) Physical state: liquid
- b) Colour: yellow, bright, clear
- c) Odour: characteristic
- d) Melting point/freezing point (Pour point) (ISO 3016): typ. -21°C
- e) Boiling point or initial boiling point and boiling range (DIN 51356): not available



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Multi SW 68 slideway-hydraulic oil**

Version: 7.1

Latest revision: 03. 05. 2023

Date of issue: 20. 06. 2007

Page: 7/(13)

f) Flammability:	combustible
g) Lower and upper explosion limit:	not explosive
h) Flash point (COC) (EN ISO 2592):	typ. 230°C
i) Auto-ignition temperature:	not available
j) Decomposition temperature:	not available
k) pH:	not applicable
l) Kinematic viscosity (EN ISO 3104):	
at 40°C:	typ. 67 mm <sup>2</sup> /s
at 100°C:	typ. 8.6 mm <sup>2</sup> /s
m) Solubility	
Solubility in water:	practically insoluble in water
Solubility in other solvents:	gasoline, kerosene, toluene, etc.
n) Partition coefficient n-octanol/water (log value):	not available
o) Vapour pressure at 20°C:	negligible
p) Density and/or relative density at 15°C (EN ISO 12185):	0.876-0.890 g/cm <sup>3</sup>
q) Relative vapour density:	not available
r) Particle characteristics:	not available

### 9.2. Other information

Oxidizing properties: not oxidize

## SECTION 10: Stability and reactivity

10.1. Reactivity	Dangerous reactivity not known.
10.2. Chemical stability	No decomposition if stored and handled properly.
10.3. Possibility of hazardous reactions	Not known.
10.4. Conditions to avoid	Direct heat or ignition sources.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met

Oral:	LD <sub>50</sub> (rat)	> 2000 mg/kg	(based on components)
Dermal:	LD <sub>50</sub> (rabbit)	> 2000 mg/kg	(based on components)



# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Multi SW 68 slideway-hydraulic oil**

Version: 7.1

Latest revision: 03. 05. 2023

Date of issue: 20. 06. 2007

Page: 8/(13)

## Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)

Oral: LD<sub>50</sub> (rat) > 5000 mg/kg

Dermal: LD<sub>50</sub> (rabbit) > 2000 mg/kg

Inhalation: LC<sub>50</sub> (rat) > 5.53 mg/L

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

No data.

## SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects.

### Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)

Fishes: LC<sub>50</sub> > 100 mg/L

Daphnia: EC<sub>50</sub> > 100 mg/L

Other aquatic organisms: EC<sub>50</sub> > 100 mg/L

Other living beings: TLM > 1 mg/L

12.2. Persistence and degradability

Biodegradability: Hydrocarbons are inherently degradable.

12.3. Bioaccumulative potential No data available.

12.4. Mobility in soil: Absorbs in soil.

Mobility in water: Floats on water.

12.5. Results of PBT and vPvB assessment Does not contain PBT and vPvB substances.

12.6. Endocrine disrupting properties No data.

12.7. Other adverse effects

Heavy metal content: None.

PCT, PCB and other chlorinated hydrocarbons: None.

Water hazard class (German): WGK 2 (Classification by AwSV).







## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Multi SW 68 slideway-hydraulic oil**

Version: 7.1    Latest revision: 03. 05. 2023    Date of issue: 20. 06. 2007    Page: 10/(13)

### SECTION 15:    Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.

Seveso category: not classified.

15.2. Chemical safety assessment.

not available

### SECTION 16:    Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Aquatic Chronic 3            H412            calculated method

*The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:*

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure through prolonged or repeated exposure
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.



# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Multi SW 68 slideway-hydraulic oil**

Version: 7.1

Latest revision: 03. 05. 2023

Date of issue: 20. 06. 2007

Page: 11/(13)

Acute Tox. 4	Acute toxicity Category 4
Asp. Tox. 1	Aspiration hazard Category 1
Skin Corr 1C	Skin corrosion/irritation Category 1C
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Respiratory/skin sensitization Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
STOT SE 3	Specific target organ toxicity — single exposure Category 3
STOT RE 2	Specific target organ toxicity – repeated exposure Category 2
Aquatic Acute 1	Hazardous to the aquatic environment, Acute Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, Chronic Category 1
Aquatic Chronic 4	Hazardous to the aquatic environment, Chronic Category 4

## Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service
CLP	Classification and Labelling
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec <sub>x</sub>	Effective Concentration x%
ErC <sub>50</sub>	EC <sub>50</sub> in terms of reduction of growth rate
Ed <sub>x</sub>	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC <sub>x</sub>	Lethal Concentration x%
LD <sub>x</sub>	Lethal Dose x%



# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Multi SW 68 slideway-hydraulic oil**

Version: 7.1    Latest revision: 03. 05. 2023    Date of issue: 20. 06. 2007    Page: 12/(13)

LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

## Revision Indicators:

Section	Subject of change	Date	Version
3 1-16	Composition/information on ingredients Regulatory information, other corrections	30. 09. 2010	2
3 9 1-16	Composition/information on ingredients Physical and chemical properties Revision modification according to 1272/2008/EC and to 453/2010/EC	30. 11. 2012	3
1 2 5 9 12 14 1-16	Details of the supplier of the safety data sheet, Responsible for SDS Other hazards Fire hazards Physical and chemical properties Classification into Water Hazardous Classes Transport information Other corrections	22. 05. 2015	4
3 9 1-16	Composition/information on ingredients Physical and chemical properties Other corrections, revision modification according to 2015/830 /EU	06. 02. 2017	5



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Kft.**

Trade name: **MOL Multi SW 68 slideway-hydraulic oil**

Version: 7.1    Latest revision: 03. 05. 2023    Date of issue: 20. 06. 2007    Page: 13/(13)

### Revision Indicators:

Section	Subject of change	Date	Version
2 3 11 12	Hazards identification Composition/information on ingredients Toxicological information Ecological information	07. 03. 2019	6
1-16	Full revision due to composition change Revision modification according to 2020/878/EU	14. 02. 2022	7
2.3 14	Other hazards Transport information	03. 05. 2023	7.1